SEQUENCE LISTING

```
<110> BAELL, JONATHAN
     HUANG, DAVID SMITH, BRIAN J.
      STREET, IAN P.
<120> PEPTIDES AND THERAPEUTIC USES THEREOF
<130> 23558-019
<140> 10/540,390
<141> 2005-06-23
<150> PCT/AU03/01724
<151> 2003-12-24
<150> AU 2002953561
<151> 2002-12-24
<160> 70
<170> PatentIn Ver. 3.3
<210> 1
<211> 8
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Synthetic
      formula peptide n=0 and m=1
<220>
<221> MOD_RES
<222> (1)
<223> Hydrophobic amino acid
<220>
<221> MOD RES
<222> (2)..(3)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (4)
<223> Hydrophobic amino acid
<220>
<221> MOD RES
<222> (5)
<223> Small amino acid residue
<220>
<221> MOD_RES
<222> (6)
<223> Negatively charged amino acid
```

```
<220>
<221> MOD_RES
<222> (7)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (8)
<223> Hydrophobic amino acid
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
<400> 1
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
<210> 2
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      formula peptide n=1 and m=1
<220>
<221> MOD_RES
<222> (1)
<223> Hydrophobic amino acid
<220>
<221> MOD_RES
<222> (2)
<223> Small amino acid
<220>
<221> MOD_RES
<222> (3)..(4)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (5)
<223> Hydrophobic amino acid
<220>
<221> MOD_RES
<222> (6) .. (7)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (8)
<223> Hydrophobic amino acid
```

```
<220>
<221> MOD_RES
<222> (9)
<223> Small amino acid
<220>
<221> MOD_RES
<222> (10)
<223> Negatively charged amino acid
<221> MOD_RES
<222> (11)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (12)
<223> Hydrophobic amino acid
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
<400> 2
5
<210> 3
<211> 8
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      formula peptide n=1 and m=0
<220>
<221> MOD_RES
<222> (1)
<223> Hydrophobic amino acid
<220>
<221> MOD_RES
<222> (2)
<223> Small amino acid
<220>
<221> MOD_RES
<222> (3)..(4)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (5)
<223> Hydrophobic amino acid
```

٠,

```
<220>
<221> MOD_RES
<222> (6)..(7)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (8)
<223> Hydrophobic amino acid
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
<400> 3
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
<210> 4
<211> 9
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      formula peptide m=0
<220>
<221> MOD_RES
<222> (1)
<223> Variable amino acid and its side chain is linked
      to position 8 by a linker
<220>
<221> MOD_RES
<222> (2)
<223> Hydrophobic amino acid
<220>
<221> MOD_RES
<222> (3)
<223> Small amino acid
<220>
<221> MOD_RES
<222> (4)..(5)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (6)
<223> Hydrophobic amino acid
<220>
<221> MOD_RES
<222> (7)
<223> Variable amino acid
```

```
<220>
<221> MOD_RES
<222> (8)
<223> Variable amino acid and its side chain is linked
      to position 1 by a linker
<220>
<221> MOD_RES
<222> (9)
<223> Hydrophobic amino acid
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
<400> 4
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
                 5
<210> 5
<211> 13
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      formula peptide m=1
<220>
<221> MOD RES
<222> (1)
<223> Variable amino acid and its side chain is linked
      to position 8 by a linker
<220>
<221> MOD_RES
<222> (2)
<223> Hydrophobic amino acid
<220>
<221> MOD RES
<222> (3)
<223> Small amino acid
<220>
<221> MOD_RES
<222> (4)..(5)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (6)
<223> Hydrophobic amino acid
```

```
<220>
<221> MOD_RES
<222> (7)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (8)
<223> Variable amino acid and its side chain is linked
     to position 1 by a linker
<220>
<221> MOD_RES
<222> (9)
<223> Hydrophobic amino acid
<220>
<221> MOD_RES
<222> (10)
<223> Small amino acid
<220>
<221> MOD_RES
<222> (11)
<223> Negatively charged amino acid
<220>
<221> MOD_RES
<222> (12)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (13)
<223> Hydrophobic amino acid
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
5
<210> 6
<211> 10
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Synthetic
      formula peptide m=0
```

```
<220>
<221> MOD_RES
<222> (1)
<223> Variable amino acid and its side chain is linked
      to position 8 by a linker
<220>
<221> MOD RES
<222> (2)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (3)
<223> Hydrophobic amino acid
<220>
<221> MOD_RES
<222> (4)
<223> Small amino acid
<220>
<221> MOD_RES
<222> (5)..(6)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (7)
<223> Hydrophobic amino acid
<220>
<221> MOD_RES
<222> (8)
<223> Variable amino acid and its side chain is linked
      to position 1 by a linker
<220>
<221> MOD_RES
<222> (9)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (10)
<223> Hydrophobic amino acid
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
<400> 6
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
                  5
```

```
<210> 7
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      formula peptide m=1
<220>
<221> MOD RES
<222> (1)
<223> Variable amino acid and its side chain is linked
      to position 8 by a linker
<220>
<221> MOD_RES
<222> (2)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (3)
<223> Hydrophobic amino acid
<220>
<221> MOD_RES
<222> (4)
<223> Small amino acid
<220>
<221> MOD RES
<222> (5)..(6)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (7)
<223> Hydrophobic amino acid
<220>
<221> MOD RES
<222> (8)
<223> Variable amino acid and its side chain is linked
      to position 1 by a linker
<220>
<221> MOD_RES
<222> (9)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (10)
<223> Hydrophobic amino acid
```

```
<220>
<221> MOD_RES
<222> (11)
<223> Small amino acid
<220>
<221> MOD RES
<222> (12)
<223> Negatively charged amino acid
<220>
<221> MOD RES
<222> (13)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (14)
<223> Hydrophobic amino acid
<220>
<223> see specification as filed for detailed description
     of substitutions and preferred embodiments
<400> 7
5
<210> 8
<211> 9
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      formula peptide p=0
<220>
<221> MOD_RES
<222> (1)
<223> Variable amino acid and its side chain is linked
      to position 8 by a linker
<220>
<221> MOD_RES
<222> (2)
<223> Hydrophobic amino acid
<220>
<221> MOD_RES
<222> (3)..(4)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (5)
<223> Hydrophobic amino acid
```

```
<220>
<221> MOD_RES
<222> (6)
<223> Small amino acid
<221> MOD_RES
<222> (7)
<223> Negatively charged amino acid
<220>
<221> MOD RES
<222> (8)
<223> Variable amino acid and its side chain is linked
     to position 1 by a linker
<220>
<221> MOD_RES
<222> (9)
<223> Hydrophobic amino acid
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
<400> 8
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
                  5
 1
<210> 9
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      formula peptide p=1
<220>
<221> MOD_RES
<222> (1)
<223> Hydrophobic amino acid
<220>
<221> MOD_RES
<222> (2)
<223> Small amino acid
<220>
<221> MOD_RES
<222> (3)
<223> Variable amino acid
```

```
<220>
<221> MOD RES
<222> (4)
<223> Variable amino acid and its side chain is linked
     to position 11 by a linker
<220>
<221> MOD_RES
<222> (5)
<223> Hydrophobic amino acid
<220>
<221> MOD_RES
<222> (6)..(7)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (8)
<223> Hydrophobic amino acid
<221> MOD_RES
<222> (9)
<223> Small amino acid
<220>
<221> MOD_RES
<222> (10)
<223> Negatively charged amino acid
<220>
<221> MOD_RES
<222> (11)
<223> Variable amino acid and its side chain is linked
      to position 4 by a linker
<220>
<221> MOD_RES
<222> (12)
<223> Hydrophobic amino acid
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
<400> 9
10
                 5
  1
<210> 10
<211> 9
<212> PRT
<213> Artificial Sequence
```

```
<223> Description of Artificial Sequence: Synthetic
      formula peptide n=0
<220>
<221> MOD_RES
<222> (1)
<223> Hydrophobic amino acid
<220>
<221> MOD RES
<222> (2)
<223> Variable amino acid and its side chain is linked
      to position 9 by a linker
<220>
<221> MOD_RES
<222> (3)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (4)
<223> Hydrophobic amino acid
<220>
<221> MOD_RES
<222> (5)
<223> Small amino acid
<220>
<221> MOD RES
<222> (6)
<223> Negatively charged amino acid
<220>
<221> MOD_RES
<222> (7)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (8)
<223> Hydrophobic amino acid
<220>
<221> MOD_RES
<222> (9)
<223> Variable amino acid and its side chain is linked
      to position 2 by a linker
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
<400> 10
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
                  5
```

```
<210> 11
<211> 13
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      formula peptide n=1
<220>
<221> MOD_RES
<222> (1)
<223> Hydrophobic amino acid
<220>
<2,21> MOD_RES
<222> (2)
<223> Small amino acid
<220>
<221> MOD_RES
<222> (3)..(4)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (5)
<223> Hydrophobic amino acid
<220>
<221> MOD_RES
<222> (6)
<223> Variable amino acid and its side chain is linked
      to position 13 by a linker
<220>
<221> MOD_RES
<222> (7)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (8)
<223> Hydrophobic amino acid
<220>
<221> MOD_RES
<222> (9)
<223> Small amino acid
<220>
<221> MOD_RES
<222> (10)
<223> Negatively charged amino acid
```

```
<220>
<221> MOD RES
<222> (11)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (12)
<223> Hydrophobic amino acid
<220>
<221> MOD RES
 <222> (13)
 <223> Variable amino acid and its side chain is linked
                                        to position 6 by a linker
  <220>
  <223> see specification as filed for detailed description
                                         of substitutions and preferred embodiments % \left( 1\right) =\left( 1\right) \left( 
   <400> 11
  <210> 12
   <211> 10
   <212> PRT
   <213> Artificial Sequence
   <220>
   <223> Description of Artificial Sequence: Synthetic
                                           formula peptide n=0
    <220>
    <221> MOD_RES
     <222> (1)
     <223> Hydrophobic amino acid
     <220>
     <221> MOD_RES
     <222> (2)
     <223> Variable amino acid
     <220>
     <221> MOD_RES
     <222> (3)
     <223> Variable amino acid and its side chain is linked
                                             to position 10 by a linker
     <220>
     <221> MOD RES
     <222> (4)
     <223> Hydrophobic amino acid
```

```
<220>
<221> MOD RES
<222> (5)
<223> Small amino acid
<220>
<221> MOD RES
<222> (6)
<223> Negatively charged amino acid
<220>
<221> MOD_RES
<222> (7)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (8)
<223> Hydrophobic amino acid
<220>
<221> MOD_RES
<222> (9)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (10)
<223> Variable amino acid and its side chain is linked
      to position 3 by a linker
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
<400> 12
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
<210> 13
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      formula peptide n=1
<220>
<221> MOD_RES
<222> (1)
<223> Hydrophobic amino acid
<220>
<221> MOD_RES
<222> (2)
<223> Small amino acid
```

.

```
<220>
<221> MOD_RES
<222> (3)..(4)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (5)
<223> Hydrophobic amino acid
<220>
<221> MOD_RES
<222> (6)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (7)
<223> Variable amino acid and its side chain is linked
      to position 14 by a linker
<220>
<221> MOD_RES
<222> (8)
<223> Hydrophobic amino acid
<220>
<221> MOD_RES
<222> (9)
<223> Small amino acid
<220>
<221> MOD_RES
<222> (10)
<223> Negatively charged amino acid
<221> MOD_RES
<222> (11)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (12)
<223> Hydrophobic amino acid
<220>
<221> MOD_RES
<222> (13)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (14)
<223> Variable amino acid and its side chain is linked
      to position 7 by a linker
```

```
<223> see specification as filed for detailed description
     of substitutions and preferred embodiments
<400> 13
5
                                   10
<210> 14
<211> 9
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
<220>
<221> MOD_RES
<222> (1)
<223> Variable amino acid and its side chain is linked
     to position 8 by a linker
<220>
<221> MOD RES
<222> (2)
<223> Hydrophobic amino acid
<220>
<221> MOD RES
<222> (3)..(4)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (5)
                                                     )
<223> Hydrophobic amino acid
<220>
<221> MOD_RES
<222> (6)
<223> Small amino acid
<220>
<221> MOD_RES
<222> (7)
<223> Negatively charged amino acid
<220>
<221> MOD RES
<222> (8)
<223> Variable amino acid and its side chain is linked
      to position 1 by a linker
```

```
<220>
<221> MOD_RES
<222> (9)
<223> Hydrophobic amino acid
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
<400> 14
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
                  5
<210> 15
<211> 13
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Synthetic
      peptide
<220>
<221> MOD RES
<222> (1)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 8 by a linker
<220>
<221> MOD RES
<222> (8)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 1 by a linker
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
<400> 15
Xaa Ile Ala Gln Glu Leu Arg Xaa Ile Gly Asp Glu Phe
                   5
                                      10
<210> 16
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      peptide .
<220>
<221> MOD_RES
<222> (4)
<223> Asp, Lys, Glu or Orn and this residue is linked
       to position 11 by a linker
```

```
<220>
<221> MOD RES
<222> (11)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 4 by a linker
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
<400> 16
Ile Ala Gln Xaa Leu Arg Arg Ile Gly Asp Xaa Phe
<210> 17
<211> 12
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Synthetic
      peptide
<220>
<221> MOD RES
<222> (4)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 11 by a linker
<220>
<221> MOD_RES
<222> (11)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 4 by a linker
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
Ile Ala Gln Xaa Leu Arg Arg Ile Gly Asp Xaa Phe
                  5
  1
<210> 18
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      peptide
```

```
<220>
<221> MOD RES
<222> (4)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 11 by a linker
<220>
<221> MOD_RES
<222> (11)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 4 by a linker
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
<400> 18
Ile Ala Lys Xaa Leu Ala Lys Ile Gly Asp Xaa Phe
<210> 19
<211> 13
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Synthetic
      peptide
<220>
<221> MOD RES
<222> (5)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 12 by a linker
<220>
<221> MOD_RES
<222> (12)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 5 by a linker
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
Lys Tyr Ala Lys Xaa Leu Ala Lys Ile Gly Asp Xaa Phe
  1
<210> 20
<211> 12
<212> PRT
<213> Artificial Sequence
```

```
<220>
<223> Description of Artificial Sequence: Synthetic
      peptide
<220>
<221> MOD RES
<222> (4)
<223> Asp, Lys, Glu or Orn and this residue is linked
     to position 11 by a linker
<220>
<221> MOD_RES
<222> (11)
<223> Asp, Lys, Glu or Orn and this residue is linked
     to position 4 by a linker
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
<400> 20
Tyr Gly Arg Xaa Leu Arg Arg Met Ser Asp Xaa Phe
                  5
<210> 21
<211> 12
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Synthetic
      peptide
<220>
<221> MOD RES
<222> (4)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 11 by a linker
<220>
<221> MOD RES
<222> (11)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 4 by a linker
<220>
 <223> see specification as filed for detailed description
      of substitutions and preferred embodiments
 Ile Ala Arg Xaa Leu Ala Gln Val Gly Asp Xaa Met
```

```
<210> 22
<211> 12
<212> PRT
<213> Artificial Sequence
<220> .
<223> Description of Artificial Sequence: Synthetic
      peptide
<220>
<221> MOD RES
<222> (4)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 11 by a linker
<220>
<221> MOD_RES
<222> (11)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 4 by a linker
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
<400> 22
Val Gly Arg Xaa Leu Ala Ile Ile Gly Asp Xaa Ile
                  5
<210> 23
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      peptide
<220>
<221> MOD_RES
<222> (4)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 11 by a linker
<220>
<221> MOD RES
<222> (11)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 4 by a linker
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
<400> 23
Ile Ala Gln Xaa Leu Ser Ser Ile Gly Ser Xaa Phe
                 . 2
                                      10
```

```
<210> 24
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      peptide
<220>
<221> MOD_RES
<222> (2)
<223> Aib
<220>
<221> MOD RES
<222> (4)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 11 by a linker
<220>
<221> MOD_RES
<222> (11)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 4 by a linker
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
Ile Xaa Gln Xaa Leu Arg Arg Ile Ala Asp Xaa Phe
                  5
  1
<210> 25
<211> 12
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Synthetic
      peptide
<220>
<221> MOD RES
<222> (4)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 11 by a linker
<220>
<221> MOD_RES
<222> (11)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 4 by a linker
```

```
<223> see specification as filed for detailed description
     of substitutions and preferred embodiments
<400> 25
Tyr Ala Gln Xaa Leu Arg Arg Ile Gly Asp Xaa Phe
                  5
                                     10
<210> 26
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      peptide
<220>
<221> MOD RES
<222> (4)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 11 by a linker
<220>
<221> MOD_RES
<222> (11)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 4 by a linker
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
<400> 26
Ala Ala Gln Xaa Leu Arg Arg Ile Gly Asp Xaa Phe
<210> 27
<211> 12
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Synthetic
      peptide
<220>
<221> MOD_RES
<222> (4)
<223> Asp, Lys, Glu or Orn and this residue is linked
       to position 11 by a linker
```

```
<220>
<221> MOD RES
<222> (11)
<223> Asp, Lys, Glu or Orn and this residue is linked
     to position 4 by a linker
<220>
<223> see specification as filed for detailed description
     of substitutions and preferred embodiments
Ile Ala Gln Xaa Ala Arg Arg Ile Gly Asp Xaa Phe
                  5
<210> 28
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      peptide
<220>
<221> MOD RES
<222> (4)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 11 by a linker
<220>
<221> MOD RES
<222> (11)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 4 by a linker
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
<400> 28
Ile Ala Gln Xaa Leu Arg Arg Ala Gly Asp Xaa Phe
<210> 29
<211> 12
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Synthetic
      peptide
```

```
<220>
<221> MOD RES
<222> (4)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 11 by a linker
<220>
<221> MOD RES
<222> (11)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 4 by a linker
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
 <400> 29
Ile Ala Gln Xaa Leu Arg Arg Ile Gly Asp Xaa Ala
 <210> 30
 <211> 12
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: Synthetic
       peptide
 <220>
 <221> MOD RES
 <222> (4)
 <223> Asp, Lys, Glu or Orn and this residue is linked
       to position 11 by a linker
 <220>
 <221> MOD RES
 <222> (11)
 <223> Asp, Lys, Glu or Orn and this residue is linked
       to position 4 by a linker
<223> see specification as filed for detailed description
       of substitutions and preferred embodiments
 <400> 30
 Ile Ala Gln Xaa Leu Ser Ser Ile Gly Asp Xaa Phe
                   5
                                       10
 <210> 31
 <211> 16
 <212> PRT
 <213> Artificial Sequence
```

```
<220>
<223> Description of Artificial Sequence: Synthetic
     peptide
<220>
<221> MOD RES
<222> (4)
<223> Asp, Lys, Glu or Orn and this residue is linked
     to position 11 by a linker
<220>
<221> MOD_RES
<222> (11)
<223> Asp, Lys, Glu or Orn and this residue is linked
     to position 4 by a linker
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
<400> 31
Ile Ala Gln Xaa Leu Arg Arg Ile Gly Asp Xaa Phe Asn Ala Ser Phe
                  5
                                     10
<210> 32
<211> 12
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Synthetic
      peptide
<220>
<221> MOD RES
<222> (4)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 11 by a linker
<220>
<221> MOD RES
<222> (11)
<223> Asp, Lys, Glu or Orn and this residue is linked
      to position 4 by a linker
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
Lys Ile Ala Xaa Leu Arg Arg Ile Gly Asp Xaa Phe
```

```
<210> 33
<211> 13
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Synthetic
     peptide
<220>
<221> MOD RES
<222> (1)
<223> Asp or Glu and this residue is linked to position
     8 by a linker
<220>
<221> MOD_RES
<222> (8)
<223> Asp or Glu and this residue is linked to position
      1 by a linker
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
Xaa Ile Ala Gln Glu Leu Arg Xaa Ile Gly Asp Glu Phe
 1
                  5
<210> 34
<211> 12
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Synthetic
      peptide
<220>
<221> MOD RES
<222> (4)
<223> Asp or Glu and this residue is linked to position
      11 by a linker
<220>
<221> MOD RES
<222> (11)
<223> Asp or Glu and this residue is linked to position
      4 by a linker
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
<400> 34
Ile Ala Gln Xaa Leu Arg Arg Ile Gly Asp Xaa Phe
```

```
<210> 35
<211> 12
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Synthetic
      peptide
<220>
<221> MOD RES
<222> (4)
<223> Asp or Glu and this residue is linked to position
      11 by a linker
<220>
<221> MOD_RES
<222> (11)
<223> Asp or Glu and this residue is linked to position
      4 by a linker
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
Ile Ala Gln Xaa Leu Arg Arg Ile Gly Asp Xaa Phe
                  5
<210> 36
<211> 12
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Synthetic
      peptide
<220>
<221> MOD RES
<222> (4)
<223> Asp or Glu and this residue is linked to position
      11 by a linker
<220>
<221> MOD RES
<222> (11)
<223> Asp or Glu and this residue is linked to position
      4 by a linker
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
```

```
<400> 36
Ile Ala Gln Xaa Leu Arg Arg Ile Gly Asp Xaa Phe
<210> 37
<211> 13
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Synthetic
<400> 37
Ile Ala Gln Glu Leu Arg Arg Ile Gly Asp Glu Phe Asn
<210> 38
<211> 26
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      peptide
<400> 38
Asp Leu Arg Pro Glu Ile Arg Ile Ala Gln Glu Leu Arg Arg Ile Gly
                  5
 1
Asp Glu Phe Asn Glu Thr Tyr Thr Arg Arg
             20
<210> 39
<211> 13
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      peptide
<400> 39
Ile Ala Gln Glu Leu Arg Arg Ile Gly Asp Glu Phe Asn
                  5
                                      10
<210> 40
<211> 26
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      peptide
```

```
<400> 40
Asp Leu Arg Pro Glu Ile Arg Ile Ala Gln Glu Leu Arg Arg Ile Gly
Asp Glu Phe Asn Glu Thr Tyr Thr Arg Arg
             20
<210> 41
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      peptide
<400> 41
Ile Ala Gln Glu Leu Arg Arg Ile Gly Asp Glu Phe
<210> 42
<211> 13
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      peptide
Gln Ile Ala Gln Glu Leu Arg Arg Ile Gly Asp Glu Phe
                  5
<210> 43
<211> 13
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Synthetic
      peptide
<220>
<221> MOD RES
<222> (1)
<223> This residue is linked to position 8 by a linker
<220>
<221> MOD RES
<222> (8)
<223> This residue is linked to position 1 by a linker
```

```
<220>
<223> see specification as filed for detailed description
     of substitutions and preferred embodiments
<400> 43
Glu Ile Ala Gln Glu Leu Arg Glu Ile Gly Asp Glu Phe
                  5
                                     10
<210> 44
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
<220>
<221> MOD RES
<222> (4)
<223> This residue is linked to position 11 by a linker
<220>
<221> MOD RES
<222> (11)
<223> This residue is linked to position 4 by a linker
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
<400> 44
Ile Ala Gln Glu Leu Arg Arg Ile Gly Asp Glu Phe
<210> 45
<211> 14
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Synthetic
      peptide
Ile Trp Ile Ala Gln Glu Leu Arg Arg Ile Gly Asp Glu Phe
                                      10
                  5
  1
<210> 46
<211> 16
<212> PRT
<213> Artificial Sequence
```

```
<223> Description of Artificial Sequence: Synthetic
     peptide
<220>
<221> MOD_RES
<222> (2)
<223> This residue is linked to position 9 by a linker
<220>
<221> MOD_RES
<222> (9)
<223> This residue is linked to position 2 by a linker
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
<400> 46
Ile Glu Ile Ala Gln Glu Leu Arg Glu Ile Gly Asp Glu Phe Asn Ala
<210> 47
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      peptide
<220>
<221> MOD_RES
<222> (6)
<223> This residue is linked to position 13 by a linker
<221> MOD_RES
<222> (13)
<223> This residue is linked to position 6 by a linker
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
Ile Trp Ile Ala Gln Glu Leu Arg Arg Ile Gly Asp Glu Phe Asn Ala
                                      10
                  5
<210> 48
<211> 16
<212> PRT
<213> Artificial Sequence
```

```
<220>
<223> Description of Artificial Sequence: Synthetic
     peptide
<220>
<221> MOD RES
<222> (9)
<223> This residue is linked to position 16 by a linker
<220>
<221> MOD RES
<222> (16)
<223> This residue is linked to position 9 by a linker
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
<400> 48
Ile Trp Ile Ala Gln Glu Leu Arg Glu Ile Gly Asp Glu Phe Asn Glu
<210> 49
<211> 13
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      peptide
<400> 49
Glu Ile Ala Gln Glu Leu Arg Glu Ile Gly Asp Glu Phe
<210> 50
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      peptide
<400> 50
Ile Trp Ile Ala Gln Glu Leu Arg Arg Ile Gly Asp Glu Phe Asn Ala
                                      10
  1
                   5
<210> 51
<211> 16
<212> PRT
<213> Artificial Sequence
```

```
<223> Description of Artificial Sequence: Synthetic
     peptide
<220>
<221> MOD_RES
<222> (6)
<223> This residue is linked to position 13 by a linker
<220>
<221> MOD_RES
<222> (13)
<223> This residue is linked to position 6 by a linker
<220>
<223> see specification as filed for detailed description
      of substitutions and preferred embodiments
<400> 51
Gln Ala Ile Ala Gln Glu Leu Arg Arg Ile Gly Asp Glu Phe Asn Ala
                                     10
<210> 52
<211> 16
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Synthetic
      peptide
Ile Trp Ile Ala Gln Gln Leu Arg Arg Ile Gly Asp Gln Phe Asn Ala
  1
<210> 53
<211> 16
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Synthetic
      peptide
<400> 53
Ile Trp Ala Ala Gln Glu Leu Arg Arg Ile Gly Asp Glu Phe Asn Ala
                                      10
                  5
<210> 54
<211> 16
<212> PRT
<213> Artificial Sequence
```

```
<223> Description of Artificial Sequence: Synthetic
     peptide
<400> 54
Ile Trp Ile Ala Gln Glu Ala Arg Arg Ile Gly Asp Glu Phe Asn Ala
<210> 55
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
     peptide
<400> 55
Ile Trp Ile Ala Gln Glu Leu Arg Arg Ala Gly Asp Glu Phe Asn Ala
<210> 56
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      peptide
Ile Trp Ile Ala Gln Glu Leu Arg Arg Ile Gly Asp Glu Ala Asn Ala
                                     10
                  5
<210> 57
<211> 16
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Synthetic
      peptide
<400> 57
Ile Trp Ala Ala Gln Glu Ala Arg Arg Ala Gly Asp Glu Ala Asn Ala
                                      10
                  5
<210> 58
<211> 16
<212> PRT
<213> Artificial Sequence
```

```
<220>
<223> Description of Artificial Sequence: Synthetic
     peptide
<400> 58
Ile Phe Ile Ala Gln Glu Leu Arg Ile Gly Asp Glu Phe Asn Ala
                 5
                                     10
<210> 59
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      peptide
<400> 59
Ala Trp Ile Ala Gln Glu Leu Arg Arg Ile Gly Asp Glu Phe Asn Ala
                            10
<210> 60
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      peptide
<400> 60
Ile Ala Ile Ala Gln Glu Leu Arg Arg Ile Gly Asp Glu Phe Asn Ala
                  5
<210> 61
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      peptide
Ile Arg Ile Ala Gln Glu Leu Arg Arg Ile Gly Asp Glu Phe Asn Ala
                 5
                                     10
<210> 62
<211> 16
<212> PRT
<213> Artificial Sequence
```

```
<220>
 <223> Description of Artificial Sequence: Synthetic
      peptide
 <400> 62
 Ile Trp Ile Ala Gln Glu Leu Arg Arg Ile Gly Asp Glu Phe Ala Asn
                  5
                                      10
 <210> 63
 <211> 16
 <212> PRT
<213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: Synthetic
       peptide
 <400> 63
 Ile Trp Ile Ala Gln Glu Leu Arg Arg Ile Gly Asp Glu Phe Ala Ala
                                      10
 <210> 64
 <211> 16
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: Synthetic
       peptide
 <220>
 <221> MOD_RES
 <222> (8)..(9)
 <223> Cit
 <400> 64
 Ile Trp Ile Ala Gln Glu Leu Xaa Xaa Ile Gly Asp Glu Phe Asn Ala
                                      10
 <210> 65
 <211> 16
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: Synthetic
       peptide
 <400> 65
 Ile Trp Ile Ala Gln Glu Leu Arg Arg Ile Gly Asp Glu Phe Asn Asn
                   5
                                       10
```

```
<210> 66
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      peptide
<400> 66
Arg Glu Ile Gly Ala Gln Leu Arg Arg Met Ala Asp Asp Leu Asn Ala
<210> 67
<211> 16
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Synthetic
      peptide
<400> 67
Val Gln Ile Ala Arg Lys Leu Gln Ala Ile Ala Asp Gln Phe His Arg
<210> 68
<211> 26
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Synthetic
      peptide
<400> 68
Asp Met Arg Pro Glu Ile Trp Ile Ala Gln Glu Leu Arg Arg Ile Gly
Asp Glu Phe Asn Ala Tyr Tyr Ala Arg Arg
             20
<210> 69
<211> 16
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Synthetic
      peptide
<220>
<221> MOD_RES
<222> (1)
<223> D-Ala
```

.

```
<220>
<221> MOD_RES
<222> (2)
<223> D-Asn
<220>
<221> MOD_RES <222> (3)
<223> D-Phe
<220>
<221> MOD_RES
<222> (4)
<223> D-Glu
<220>
<221> MOD_RES
<222> (5)
<223> D-Asp
<220>
<221> MOD_RES
<222> (6)
<223> D-Gly
<220>
<221> MOD_RES
<222> (7)
<223> D-Ile
<220>
<221> MOD_RES
<222> (8)..(9)
<223> D-Arg
<220>
<221> MOD RES
<222> (10)
<223> D-Leu
<220>
<221> MOD RES
<222> (11)
<223> D-Glu
<220>
<221> MOD_RES
<222> (12)
<223> D-Gln
<220>
<221> MOD_RES
<222> (13)
<223> D-Ala
```

.

```
<220>
<221> MOD_RES
<222> (14)
<223> D-Ile
<220>
<221> MOD_RES
<222> (15)
<223> D-Trp
<220>
<221> MOD_RES
<222> (16)
<223> D-Ile
Ala Asn Phe Glu Asp Gly Ile Arg Arg Leu Glu Gln Ala Ile Trp Ile
<210> 70
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
      6xHis tag
<400> 70
His His His His His
```